

K S R Institute for Engineering and Technology

Tiruchengode, Namakkal(Dt), Tamil Nadu
(Approved by AICTE New Delhi & Affiliated to Anna University Chennai)
BE (CSE,EEE,ECE,Mech)&B.Tech (IT) Programmes are Accredited by NBA

DVV CLARIFICATION

4.3.2 Bills/invoices, AMC documents of Desktop/Laptop computers and accessories against the purchases

S.No	DVV Clarification	Page. No.
1.	Clarification Report	1
2.	Invoices of Computer Services	2-17
3.	Sample Copy of Chairman approval form	18
4.	Sample copy of Statement of Lab requirements	19
5.	Sample copy of Voucher	20

(Approved by AICTE, New Delhi & Affiliated to Anna University) (CSE, EEE, ECE, MECH & IT Programmes accredited by NBA)



R. Srinivasan B.B.M., Chairman cum Managing Trustee **Dr. M. Venkatesan, M.E., Ph.D.,** Principal

Date: 07.10.2021

Notification

Reference: NAAC DVV Clarification Report Dated: 27.09.2021 against Affected

Metrics: 4.3.2 (3)

This is to notify that the college has appointed a System Administrator cum Hardware Engineer for the maintenance and repairs of computers and accessories. The complaints received from the Complaint Registers maintained in the labs are noted by the System Admin and appropriate solution would be given. The accessories required are purchased and service is done by System Administrator. In case the computers and accessories are out of System Administrator service, the same would be given for out sourcing services. The bills and receipts for the out sourcing services are maintained in the college. Hence, Annual Maintenance Contract was not made with any vendor for the maintenance and repairs of computers and accessories.

Encl:

- 1. Invoices -1 to 16
- 2. Sample copy of Chairman Approval Form
- 3. Sample copy of Comparison Statement
- 4. Sample copy of Voucher

PRINCIPAL,

K S R INSTITUTE FOR


ENGINEERING AND TECHNOLOGY,

K S R KALVI NAGAR,

TIRUCHENGODE - 637 215,

NAMAKKAL DI, TAMIL NADU.

K.S.R. Kalvi Nagar, Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India. Tel: +91 - 4288 - 274773 | Fax: +91 - 4288 - 274773 | E-mail: admin@ksriet.ac.in | www.ksriet.ac.in





R. Srinivasan B.B.M.,

Chairman cum Managing Trustee

Dr. M. Venkatesan, M.E., Ph.D., Principal

Invoice No. 1

-		Formerly Ki No.15, Mastha Chennai - 600 E-mail : service	n Ali Garde 026. Phone e@aedindi	en Street, Off. 2: 044 - 4234 a.com Web	8084 site	Lingam Cell: 97 : www.ae	Road, Vac 900 1296 dindia.co	n m	AS	CENT
				N / SERVICE				No.AED	Service	341
Customer Nan		Instikulo	e and be	glacing letho	175	Call Typ	e	-	On Site	Туре
Contact Perso	KANA				AM				Carry in	1
Address:	1-10	ole			Paid	rranty			_	ategory
Contact No :	alasi				PM	2			Hardware	
Mail Id :	96004	3/920			-	allation		1	Software	1
	I I I -	Call A	ttended	Call co	-		Product		Johnson	1
	Login	Date			mple	Time	Make	-		
Date	Time		Time	Date	+		Model No	1	0.	
Source : UPS	-	Dalw Mi	Direct	Delecti	17-	4-30	Serial No.	100	ve Pc	
source : UPS			Direct		+		Refere No.			
	P-N				-			-		
Earth Details	IP-N	1228	P.E	222		N-E				
				T . 11		-		1 - 1		
	· A	e Sylvestok	tens	Install	ati	m	comp	leted	*	
Action Taken	· A		ters	Dontall		شر res Used	comp	letad	4	
Action Taken	4			Dan Hall	Spa	res Used	Comp		Part Descr	ription
Action Taken Call Status Completed	# A	est ok			Spa	res Used				ription
Action Taken Call Status Completed Pending for sp	# A	est ok			Spa	res Used				ription
Action Taken Call Status Completed Pending for sp Esclation	:- A	est ok			Spa	res Used				ription
Action Taken Call Status Completed Pending for sp Esclation Cust, Confirma	:- A	est ok			Spa	res Used				ription
Action Taken Call Status Completed Pending for sp Esclation Cust, Confirma	Service of the servic	est ok	Go	odpart Serial	Spa	Def. p				ription
Action Taken Call Status Completed Pending for sp Esclation Cust, Confirma	Service of the servic	Part No.	Go	odpart Serial	Spa	Def. p	part Serial N	io.	Part Descr	
Action Taken Call Status Completed Pending for sp Esclation Cust, Confirma	Service of the servic	Part No.	Go eers Sugge	odpart Serial	Spa	Def. p	part Serial N	io.	Part Descr	
Action Taken Call Status Completed Pending for sp Esclation Cust, Confirma	Service of the servic	Part No.	Go eers Sugge	odpart Serial	Spa	Def. p	Part Serial N Feed Back Quality Knowledge	io.	Part Descr	
Action Taken Call Status Completed Pending for sp Scistiation Cust, Confirma Others Service Amoun	ares	Part No.	Go eers Sugge	odpart Serial	Spa	Def, p Customers Service Technical	Feed Back Quality Knowledge	Good	Part Descr	
Call Status Completed Pending for sp Esclation Cust. Confirma Others Service Amoun Cash	ares D	Part No.	Go	odpart Serial	Spa	Def. p Customers Service Technical Updation Engineers	Feed Back Quality Knowledge	Good	Part Descri	
Action Taken Call Status Completed Pending for sp Esclation Cust. Confirma Others Service Amoun Cash Credit Value: #	ares D	Part No.	Go	odpart Serial	Spa	Def. p Customers Service Technical Updation Engineers	Feed Back Quality Knowledge	Good S- D	Part Descri	Poor

ATTESTED

*K. S. R. INSTITUTE FOR ENGINEERING AND TECHNOLOGY,

K. S. R. KALVI NAGAR, K.S.R. Kalvi Nagar, Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India: UCHENGODE-637 215, Tel: +91 - 4288 - 274773 | Fax: +91 - 4288 - 274773 | E-mail: admin@ksriet.aemivvow@ksfelt.acen

(Approved by AICTE, New Delhi & Affiliated to Anna University)
UG Programmes (CSE, EEE, ECE, MECH, IT) Accredited by NBA



R. Srinivasan B.B.M.,

Chairman cum Managing Trustee

Dr. M. Venkatesan, M.E., Ph.D.,

Invoice No. 2

Asc	No.	64, Kalaima	Digit Solutions gal School Road, Erodi centedigit.com/Mob : 0	e - 638001			AAJC	ICA0977 A0977A Nadu(33		
Inv.	No : HO	/19-20/171	7 T/	AX INVO	ICE			Date	: 12.10.2019	
TECH TIRUC NAMA Mobile Email State GSTIN	NSTITUTE NOLOGY - CHENGODE KKAL - 637 9: 9600431 : kartils 232 : Tamil Nad N / UIN : Un	7215 059 28@gmail.com u(33) registered	TECHNOLOGY TIRUCHENGO NAMAKKAL - 6 Mobile : 96004! Email : kertils - 2 State : Tamil N: GSTIN / UIN : L	7 - NAMAKKA DE 137215 137215 31059 328@gmail.co adu(33) Jnregistered	om	Payment T Stock Poin Mode of D Ledger Na	cutive ferms it elivery me	: DIRECT : MENAKA SERVICE : Godown(HO) : KSR INSTITUTE FOR ENGG AND TECHNOLOGY - NAMAKKAL (C15884)		
S.No	Part No 009325 7	SERVICE	em Description	HSN / SAC	18.00	2,250.00	Qty	NOM	Amount 2,250.00	
	(:		HERBOARD CHIP LEVEL						T T 1 4 1	
					<u> </u>				2,250.00	
A/c No IFSC t Sample		000000298	State Bank of India A/c No : 35446466271 IFSC code : sbin0012777 SME Branch Erode	sgs	9 % on 2 9 % on 2				202.50 202.50	
Remar	KS :			Sub Total:					2,655.00	
				Grand To	otal				2,655.00	
	ner's Signa	San and the san	MENAKA NEW) Prepared By	y,	Ch	Fo	or Asce	nt e-Digit	Solutions (P) Ltd	
 We WA If at 	RRANTY A ny service n	ponsible for an S PER MANUI elated queries	y breakage, shortage and of FACTURING TERMS Please call To: 97900-9901 % if bill not paid within due of Subject to Ende Jurisdick	11, 0424-2259 fate	rred durin	g the time of t	ransit.			

AFFESTED

K. S. R. INSTITUTE FOR ENGINEERING AND TECHNOLOGY, K. S. R. KALVI NAGAR,

K.S.R. Kalvi Nagar, Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India TIRUCHENGODE-637 215, Namakkal Dist., Tamil Nadu, India Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India Tiruchengode - 637 215, Namak

(Approved by AICTE, New Delhi & Affiliated to Anna University)
UG Programmes (CSE, EEE, ECE, MECH, IT) Accredited by NBA



R. Srinivasan B.B.M.,

Chairman cum Managing Trustee

Dr. M. Venkatesan, M.E., Ph.D.,

Invoice No. 3

9	Carried Po	O: No.15, Mas hennai - 600 0 mail : service(26. Phone : @aedindia.c	044 - 4234808 com Web site	31, Cell 9 : www	: 82200 .aedind	07270, 8220 ia.com	00 07350	Asce 38	nt
			SERVI	CE CALL R	REPO	RT C	SR No.AED	19 - 20		
Customer Nam	e: KSR	colleg	-		C	all Typ	8	1	Service T	уре
Contact Person		Comp			AMC				On Site	-
	muche	narele	11111		Warra	inty	Carlon S		Carry in.	
1	Divi	0			Paid		-	/_	Call Ca	tegory
Contact No :	99 524	04555	-9600	431059	PM	1-015			Hardware	-
	min a				Install	lation			Software	
	Login	Call At	tended		mplete	d	Product	SM	IPS	
Date	Time	Date	Time	Date		Time	Make			
	18119	1/2/14	2.00	1/7/10	1 4	.50	Model No.			
Source : UPS	Direct	11111	Direct	11	-		Serial No.			
300100 : 0: 0							Refere No.			
Earth Details	P-N	230	P.E	238	N	I-E	1			
Action Taken:			0	1 .	2		1000	. <i>L</i> :	4	
Problem Diagr		Services	2 1	low s	MPS	s a	orho	J A	·e	
Action Taken :		Services	Q 1	low s		S a		J F	ie	
Action Taken :	5m PS	Services		-low 5	Spare	es Used			Part Descr	ription
Action Taken : Call Status Completed	Sm PS				Spare	es Used				ription
Action Taken : Call Status	Sm PS				Spare	es Used				ription
Action Taken : Call Status Completed Pending for si Esclation	Sm PS				Spare	es Used				ription
Action Taken : Call Status Completed Pending for si	Sm PS				Spare	es Used Def.	part Serial N		Part Descr	
Action Taken : Call Status Completed Pending for si Esclation Cust,Confirm	Sm PS		Gi	oodpart Seria	Spare	es Used Def.	part Serial N			ription
Action Taken : Call Status Completed Pending for si Esclation Cust,Confirm	Sm PS	Part No.	Gi	oodpart Seria	Spare	es Used Def.	part Serial N	0.	Part Descr	
Action Taken : Call Status Completed Pending for si Esclation Cust.Confirm.	Sm PS	Part No.	Gi	oodpart Seria	Spare	Def. Custome Service	part Serial N	0.	Part Descr	
Action Taken : Call Status Completed Pending for si Esclation Cust.Confirm.	Sm PS	Part No.	Gi	oodpart Seria	Spare	Def. Custome Service	part Serial N	0.	Part Descr	
Action Taken : Call Status Completed Pending for si Esclation Cust.Confirm.	Sm PS	Part No.	Gi Gi eers Sugge	oodpart Seria	Spare	Def. Custome Service Technic Updati	part Serial N	0.	Part Descr	
Action Taken : Call Status Completed Pending for si Esclation Cust.Confirm. Others	Sm PS	Part No.	Gi Gi eers Sugge	oodpart Seria	Spare	Custome Servic Technic Updatii	part Serial N wrs Feed Back e Quality al Knowledge	0.	Part Descr	

ATTESTED

M. la

PRINCIPAL,

ENGINEERING AND TECHNOLOGY.



(Approved by AICTE, New Delhi & Affiliated to Anna University)
UG Programmes (CSE, EEE, ECE, MECH, IT) Accredited by NBA

R. Srinivasan B.B.M.,

Chairman cum Managing Trustee

Dr. M. Venkatesan, M.E., Ph.D., Principal

Invoice No. 4

			SERV	ICE CALL R	EPORT	OSR No.AEC) / 19 - 20	9	73
Customer Nan	ne: KS1	2 IB	1		Call Ty	ре		Service	Type
Contact Perso	n: Works	withlean	an		AMC			On Site	1
Address:	CORVE	1 ingle	20,90		Warranty	V		Carry in	
-++	the state of the state of	adi	70//4997		Paid			-	ategory
	960043	11026			PM			Hardware	-
Mail Id :		1 2 1			Installation		_	Software	
Date	Login	Date Date	Attended	Call con	7	Product	12 21		
Date	Time	Date	Time	Date Date	Time	Make Model No.	300	N 6000	للصد
Source : UPS	Direct	-	Direct	-HIE IL	348	Serial No.	700	1310	
	1		Direct		-	Refere No.			
Earth Details	P-N		P-E		N-E	1 1000	-	-	
Action Taken :-	73	O 6	0 0		-3.1 0	Ο.			
Action Taken :-	Frewall	Confi	3 4 8	w Motes	Sulte.	Esa.			
* '	Howall	Confi	3 4 8		Spares Used	Erec			
Call Status	Hrewall	Config art No.			Spares Used	Sec.		Part Descr	iption
Call Status	Howall P			S	Spares Used			Part Descr	iption
Call Status Completed Pending for spa	Howall P			S	Spares Used			Part Descr	íption
Call Status Completed Pending for spa	Flewall			S	Spares Used			Part Descr	iption
Call Status Completed Pending for spa scription Cust Confirmat	Frewall	art No.	Go	S podpart Serial N	Spares Used No. Def.	part Serial N		Part Descr	iption
Call Status Completed Pending for spa scription Cust Confirmat	Frewall		Go	S podpart Serial N	Spares Used No. Def.	part Serial N		Part Descr	iption
Call Status Completed Pending for spa scription Cust Confirmat	Frewall ares ion	art No.	Go	S podpart Serial N	Spares Used No. Def. Customer Service	part Serial N	0.		
Call Status Completed Pending for spa Esclation Cust Confirmat	Frewall ares ion	art No.	Go	S podpart Serial N	Spares Used No. Def. Customen Service Technical	part Serial Nose S	0.		
Call Status Completed Pending for spa Esclation Cust Confirmat	Frewall Property of the second of the secon	art No. ervice Engine	Go eers Sugges	S soodpart Serial N	Spares Used No. Def. Customer Service	part Serial Nose S	0.		
Action Taken :- Call Status Completed Pending for spe Esclation Cust Confirmat Others Customer Name	Frewall Property of the second of the secon	art No.	Go eers Sugges	S soodpart Serial N	Spares Used No. Def. Customen Service Technical	part Serial N s Feed Back Quality Knowledge S	0.		
Call Status Completed Pending for spa Esclation Cust Confirmat Others	Frewall peres ion Si	art No. ervice Engine	Go eers Sugges	S soodpart Serial N	Spares Used No. Def. Customer Service Technical Updation Engineer	part Serial N s Feed Back Quality Knowledge S	0.		

ATTESTED

M. and

PRINCIPAL,

K.S.R. Kalvi Nagar, Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India INEERING AND TECHNOLOGY, Tel: +91 - 4288 - 274773 | Fax: +91 - 4288 - 274773 | E-mail: admin⊕ksriet.ac.in K.S.R. KALYI NAGAR, Tel: +91 - 4288 - 274773 | E-mail: admin⊕ksriet.ac.in K.S.R. KALYI NAGAR, Tel: +91 - 4288 - 274773 | E-mail: admin⊕ksriet.ac.in K.S.R. KALYI NAGAR, Tel: +91 - 4288 - 274773 | E-mail: admin⊕ksriet.ac.in K.S.R. KALYI NAGAR, Tel: +91 - 4288 - 274773 | E-mail: admin⊕ksriet.ac.in K.S.R. KALYI NAGAR, Tel: +91 - 4288 - 274773 | E-mail: admin⊕ksriet.ac.in K.S.R. KALYI NAGAR, Tel: +91 - 4288 - 274773 | E-mail: admin⊕ksriet.ac.in K.S.R. KALYI NAGAR, Tel: +91 - 4288 - 274773 | E-mail: admin⊕ksriet.ac.in K.S.R. KALYI NAGAR, Tel: +91 - 4288 - 274773 | E-mail: admin⊕ksriet.ac.in K.S.R. KALYI NAGAR, Tel: +91 - 4288 - 274773 | E-mail: admin⊕ksriet.ac.in K.S.R. KALYI NAGAR, Tel: +91 - 4288 - 274773 | E-mail: admin⊕ksriet.ac.in K.S.R. KALYI NAGAR, Tel: +91 - 4288 - 274773 | E-mail: admin⊕ksriet.ac.in K.S.R. KALYI NAGAR, Tel: +91 - 4288 - 274773 | E-mail: admin⊕ksriet.ac.in K.S.R. KALYI NAGAR, Tel: +91 - 4288 - 274773 | E-mail: admin⊕ksriet.ac.in K.S.R. KALYI NAGAR, Tel: +91 - 4288 - 274773 | E-mail: admin⊕ksriet.ac.in K.S.R. KALYI NAGAR, Tel: +91 - 4288 - 274773 | E-mail: admin⊕ksriet.ac.in K.S.R. KALYI NAGAR, Tel: +91 - 4288 - 274773 | E-mail: admin⊕ksriet.ac.in K.S.R. KALYI NAGAR, Tel: +91 - 4288 - 274773 | E-mail: admin⊕ksriet.ac.in K.S.R. KALYI NAGAR, Tel: +91 - 4288 - 274773 | E-mail: admin⊕ksriet.ac.in K.S.R. KALYI NAGAR, Tel: +91 - 4288 - 274773 | E-mail: admin⊕ksriet.ac.in K.S.R. KALYI NAGAR, Tel: +91 - 4288 - 274773 | E-mail: admin⊕ksriet.ac.in K.S.R. KALYI NAGAR, Tel: +91 - 4288 - 274773 | E-mail: admin⊕ksriet.ac.in K.S.R. KALYI NAGAR, Tel: +91 - 4288 - 274773 | E-mail: admin⊕ksriet.ac.in K.S.R. KALYI NAGAR, Tel: +91 - 4288 - 274773 | E-mail: admin⊕ksriet.ac.in K.S.R. KALYI NAGAR, Tel: +91 - 4288 - 274773 | E-mail: admin⊕ksriet.ac.in K.S.R. KALYI NAGAR, Tel: +91 - 4288 - 274773 | E-mail: admin⊕ksriet.ac.in K.S.R. KALY

NAMAKKAL DI, TAMIL NADU

(Approved by AICTE, New Delhi & Affiliated to Anna University)
UG Programmes (CSE, EEE, ECE, MECH, IT) Accredited by NBA



R. Srinivasan B.B.M.,

Chairman cum Managing Trustee

Dr. M. Venkatesan, M.E., Ph.D.,

Invoice No. 5

	E	mail : service	-	i.com Web sit	THE RESIDENCE AND ADDRESS OF THE PARTY NAMED IN	dia.com	110.00	Asce 105	7
		1	SERV	ICE CALL I	and the later of t		/ 19 - 20	Service 1	
Customer Nam	ne: KSR C	ollege			Call Ty	pe			уре
Contact Person	- DULLER	inequen			AMC			On Site	~
Address :	Thorne	herrodi			Warranty			Carry in	togoni
					Paid			Hardware	
Contact No :	96004	31059			PM				K
Mail ld :					Installation			Software	
	Login		ttended		ompleted	Product		Hern.	
Date	Time	Date	Time	Date	Time	Make	Leu	01001	
		17/01/9		17/07/19	2.00	Model No.			
Source: UPS	Direct		Direct			Serial No.	-		
						Refere No.			
Earth Details	P-N	~	P.E	-	N-E	-			
	-	-		-					
Problem Diagn	-	w new	ot 2	Bacerd	werk	was e	joed	4	
Action Taken :	-	w here	ot 2	Boord	toor K		jsed	56	
	Me	us new l		Booted	Spares Used			Part Descr	iption
Action Taken :- Call Status Completed	Atte				Spares Used	1			iption
Action Taken :-	Atte				Spares Used	1			iption
Action Taken : Call Status Completed Pending for sp Esclation	Ates				Spares Used	1			iption
Action Taken : Call Status Completed Pending for sp Esclation	Ates				Spares Used	1			iption
Action Taken : Call Status Completed Pending for sp Esclation Cust Confirma	Me P P P P P P P P P P P P P P P P P P P		G	Goodpart Seria	Spares Used il No. Def.	1			iption
Action Taken : Call Status Completed Pending for sp Esclation Cust Confirma	Me P P P P P P P P P P P P P P P P P P P	art No.	G	Goodpart Seria	Spares Used	part Serial N	0.	Part Descr	
Action Taken : Call Status Completed Pending for sp Esclation Cust Confirma	Me P P P P P P P P P P P P P P P P P P P	art No.	G	Goodpart Seria	Spares Used il No. Def. Custome Servici	part Serial N	0.	Part Descr	
Action Taken : Call Status Completed Pending for sp Esclation Cust Confirma	Me P P P P P P P P P P P P P P P P P P P	art No.	G	Goodpart Seria	Spares Used il No. Def. Custome Servici	part Serial N	0.	Part Descr	
Action Taken : Call Status Completed Pending for sp Esclation Cust Confirma Others	Nterion Pares S	rart No.	ers Sugge	Goodpart Sena	Spares Used I No. Def. Custome Service Technic Updatio	part Serial N	Good	Part Descr	Poor
Call Status Completed Pending for sp Esclation Cust Confirma	Nterion Pares S	rart No.	ers Sugge	Goodpart Sena	Spares Used I No. Def. Custome Service Technic Updatio	part Serial N	Good S. Form	Average	Poor
Action Taken : Call Status Completed Pending for sp Esclation Cust Confirma Others Customer Nam	Mes pares P	rart No.	ers Sugge	Goodpart Sena	Spares Used I No. Def. Custome Service Technic Updatio Enginer	part Serial N	Good S. Farm	Part Descr Average	Poor
Action Taken : Call Status Completed Pending for sp Esclation Cust Confirma Others	Mes pares P	art No.	ers Sugge	Goodpart Sena	Spares Used I No. Def. Custome Service Technic Updatio Enginer	part Serial N	Good S. Farm	Average	Poor
Action Taken : Call Status Completed Pending for sp Esclation Cust Confirma Others Customer Nam	Mes pares P	rart No.	ers Sugge	Goodpart Sena	Spares Used I No. Def. Custome Service Technic Updatio Enginer	part Serial N	Good S. Farm	Part Descr Average	Poor

ATTESTED

PRINCIPAL

K. A. R. INSTITUTE FOR

K.S.R. Kalvi Nagar, Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India. ENGINEERING AND TECHNOLOGY
Tel: +91 - 4288 - 274773 | Fax: +91 - 4288 - 274773 | E-mail: admin@ksriet.ac.in | www.ksriet.add/in/AGAR,
TIRUCHENGODE-637 215,
NAMAKKAL BI, TAMIL NAD

(Approved by AICTE, New Delhi & Affiliated to Anna University) UG Programmes (CSE, EEE, ECE, MECH, IT) Accredited by NBA



R. Srinivasan B.B.M.,

Chairman cum Managing Trustee

Dr. M. Venkatesan, M.E., Ph.D., Principal

Invoice No. 6


		-mail : service	THE RESERVE AND PERSONS NAMED IN	ICE CALL	BOOKS TO SERVICE	ARREST TO SERVICE STREET	SR No.AED	/ 19 - 20	1514	
Customer Nam	ne: KSR					Call Typ	е		Service '	Type
Contact Person	n: leave	the			AMC			~	On Site	/
Address: 7	herwood	4			Warr	ranty			Carry in	
					Paid	1				ategory
Contact No :	96004	31050	7		PM				Hardware	-
Mail Id :					Insta	allation	·		Software	
Call	Login	Call A	ttended	Call co	mplet	ed	Product	14	other to	200
Date	Time	Date	Time	Date		Time	Make		-	
		11/8/19	10.30	3/18/1	9 1	2.00	Model No.			
Source : UPS	Direct		Direct				Serial No.			
							Refere No.			
Earth Details	P-N	1830	P-E	200		N-E	1			
Action Taken :-				m Ps		3)				gile
	lected 1	5 system				3)				gili
		5 system			not	3)				gile
inform To	lected 1	5 system	1 50		no U	es Used		prob		
Call Status Completed	luber 1	5 cycler mes	1 50	231	no U	es Used	oand.	prob	len	
Call Status Completed	luber 1	5 cycler mes	1 50	231	no U	es Used	oand.	prob	len	
Call Status Completed Pending for sp	leshed 1	5 cycler mes	1 50	231	no U	es Used	oand.	prob	len	
Call Status Completed Pending for sp Esclation	leshed 1	5 cycler mes	1 50	231	no U	es Used	oand.	prob	len	
Call Status Completed Pending for sp Esclation Cust.Confirma	lected 1	5 cycler mes	Go	Do 3 /	no U	es Used Def.	oand.	prob	len	
Call Status Completed Pending for sp Esclation Cust.Confirma	lected 1	5 system men Part No.	Go	Do 3 /	no U	es Used Def.	part Serial N	prob	len Part Descri	iption
Call Status Completed Pending for sp Esclation Cust.Confirma	lected 1	5 system men Part No.	Go	Do 3 /	no U	es Used Def. Customer Service Technical	part Serial N s Feed Back Quality Knowledge	prob	len Part Descri	iption
Call Status Completed Pending for sp Esclation Cust.Confirma	lected 1	5 system men Part No.	Go	Do 3 /	no U	es Used Def. Customer Service	part Serial N s Feed Back Quality Knowledge	prob	len Part Descri	iption
Call Status Completed Pending for sp Esclation Cust.Confirma	deshed 1	5 system men Part No.	Go	Do 3 /	no U	es Used Def. Customer Service Technical	part Serial N s Feed Back Quality Knowledge	prob	len Part Descri	iption
Call Status Completed Pending for sp Esclation Cust Confirma Others	deshed 1	5 system men Part No.	Go	Do 3 /	no U	es Used Def. Customer Service Technical Updation	part Serial N s Feed Back Quality Knowledge	prob	len Part Descri	iption

ATTESTED

PRINCIPAL

Tel: +91 - 4288 - 274773 | Fax: +91 - 4288 - 274773 | E-mail: admin@ksriet.ac.in | www.ksriet.ackinLVI NAGAR. K.S.R. Kalvi Nagar, Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India.

K. S. R. INSTITUTE FOR NAMAKKAL DI, TAMIL NADU





R. Srinivasan B.B.M.,

Chairman cum Managing Trustee

Dr. M. Venkatesan, M.E., Ph.D., Principal

Invoice No. 7

A		hennai - 600 (026. Phone @aedindis	iarden Street, (c: 044 - 42348) Loom Web si	081, Ce te : ww	ell : 8220 ww.aedini	0 07270, dia.com	8220	00 0735	HSC	ant
			SERV	ICE CALL	REP(ORT	SR No.A	ED/	19 - 20	24	59
Customer Nan	ne: KS	2 1FT				Call Typ	96			Service	Туре
Contact Perso	n: ```	Tlab			AMC					On Site	1
Address :					Wan					Carry in	
		Truck	ergode	2	Paid	ı	v	1			ategory
Contact No :					PM					Hardware	-
Mail id :			-		-	allation				Software	
-	Login	-	ttended	Call or	omplet	ed	Product	4	10	yen	
Date	Time	Date	Time	Date		Time	Make	1	L	chance	
		148		14131	9		Model !	-	1	משמש	
Source : UPS	Direct	1 1	Direct				Serial N	-			
				1			Refere h	10.	20	29A 5	65R
Earth Details	PN	1	P.E	1	- 11	N-E		- 1			
	> l			sport			-		la	(4))
Problem Diagr	-> l	60					-		d C	ary ony	ton
Action Taken :	> l	60			سي		-		dC	(a)	ton
Action Taken :	denice	60	ad		Spare	es Used	-		dC	On y Part Descri	
Action Taken :-	benice	, 60	ad	Paros	Spare	es Used	boo		d C		
Action Taken :- Can Call Status Completed	benice	, 60	ad	Paros	Spare	es Used	boo		dCa		
Action Taken :- Call Status Completed Pending for sp Esclation	DAVICE PARENT	, 60	ad	Paros	Spare	es Used	boo		de		
Action Taken :- Call Status Completed Pending for sp Esclation Cust Confirmal	DAVICE PARENT	, 60	ad	Paros	Spare	es Used	boo		96		
Action Taken :- Call Status Completed Pending for sp Esclation Cust Confirmal	> l	, 60	ad	Tavo s	Spare	es Used Def. ;	boo	No.	Good Good		
Action Taken :- Call Status Completed Pending for sp Esclation Cust Confirmal	> l	ь 60. art No.	ad	Tavo s	Spare	Def. (part Serial	No.		Part Descri	ption
Action Taken : Call Call Status Completed Pending for sp	> l	ь 60. art No.	ad	Tavo s	Spare	Def. ; Customer Service	part Serial Feed Back Quality Knowledge	No.		Part Descri	ption
Action Taken :- Call Status Completed Pending for sp Esclation Cust Confirmal	> l	ь 60. art No.	ad	Tavo s	Spare	Def. (part Serial Feed Back Quality Knowledge	No.		Part Descri	ption
Action Taken :- Call Status Completed Pending for sp Esclation Cust Confirmal	> L	ь 60. art No.	and G	Tavo s codpart Serial	Spare	Def. ; Customer Service	part Serial Feed Back Guality Knowledge	No.		Part Descri	ption
Action Taken : Call Status Completed Pending for sp Esclation Cust Confirmal Others	> L	So.	and G	Tavo s codpart Serial	Spare	Customers Service Technical Updation	part Serial Feed Back Guality Knowledge	No.		Part Descri	ption

Page 8 of 20

ATTESTED

K.S.R. Kalvi Nagar, Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India.

PRINCIPAL,

K. S. R. INSTITUTE FOR Tel: +91 - 4288 - 274773 | Fax: +91 - 4288 - 274773 | E-mail: admin@ksriet.ac.in | WANNEERING AND TECHNOLOGY. K. S. R. KALVI NAGAR.

TIRUCHENGODE-637 215. NAMAKKAL DI, TANIL NADU

(Approved by AICTE, New Delhi & Affiliated to Anna University) UG Programmes (CSE, EEE, ECE, MECH, IT) Accredited by NBA



R. Srinivasan B.B.M.,

Chairman cum Managing Trustee

Dr. M. Venkatesan, M.E., Ph.D., Principal

Invoice No. 8

	25) 8	O: No.64, Kata O: No.15, Mar hennai - 600 0	aimagal Sch sthan Ali Ga 26. Phone	hool Road, Erod arden Street, Off : 044 - 4234808 com Web site	le - 638 00 I. S.V. Ling 1, Cell : 82	11, Ph; 0424 - 2 am Road, Vad 2200 07270, 83	apalani,	1130	
			SERVI	ICE CALL R	EPORT	CSR No.AE	0/19-20	1603	
Customer Nam	ne: 15	PEEG	- BOARDON CONTRACTOR	THE RESIDENCE OF THE PARTY OF T	Call	Туре		Service	Туре
Contact Person		otheko	-4 Oh		AMC			On Site	1
Address :	1952		1		Warranty			Carry in	
	7	rudang	ioali		Paid			Call C	ategory
Contact No :		004310			PM			Hardware	3 4
Mail Id :	,				Installatio	n		Software	1
Call	Login	Call A	ttended	Call con	npleted	Product	Noth	on Boan	d
Date	Time	Date	Time	Date	Tim	e Make	2	SMPS	
	1	17 9 19		17 8 19		Model No	0.		
Source : UPS	Direct		Direct			Serial No			
						Refere No	k.		
Earth Details	P-N	228	P-E	202	N-E	1	T		
Problem Diagr	nostics :-	<i>হুশ</i> ?\$	-	com 5/w: 1	15 01	8689A5 378087 78087	ZVI7	6F2 5	82XH
Problem Diagr	=>		Henth	com 5/w: 1	150 A3	3 7 808 7 7808 7	ZVI7	6F2 5	8 2 X P
Action Taken :	=>		Henth	S/N: 1	150 A3	37808 7 7808 7	ZVI7	6F2 5	8 2 X P
Action Taken :	; ; ;>		Henth	S/N: 1	150 A3 Contr	37808 7 7808 7	ZVI 7 VJ 74	6F2 5	2 × 2
Action Taken : Call Status Completed	=> - - ->	Taken	Henth	3/w: 1 8/w: 1 BONICE	150 A3 Contr	3 7 808 7 7 808 7	ZVI 7 VJ 74	6F2 \$ F258	2 × 2
Action Taken :	=> - - ->	Taken	Henth	3/w: 1 8/w: 1 BONICE	150 A3 Contr	3 7 808 7 7 808 7	ZVI 7 VJ 74	6F2 \$ F258	2 × 2
Action Taken : Call Status Completed Pending for sp	=> =>	Taken	Henth	3/w: 1 8/w: 1 BONICE	150 A3 Contr	3 7 808 7 7 808 7	ZVI 7 VJ 74	6F2 \$ F258	2×2
Action Taken : Call Status Completed Pending for sp Esclation	=> =>	Taken	Henth	3/w: 1 8/w: 1 BONICE	150 A3 Contr	3 7 808 7 7 808 7	ZVI 7 VJ 74	6F2 \$ F258	2×2
Action Taken : Call Status Completed Pending for sp Esclation Cust, Confirma	=>	Taken	to Go	SW: 1 SW: 1 SONICE	Canto	3 7 808 7 7 808 7	ZVI 7 VJ 74	6F2 \$ F258	2×2
Action Taken : Call Status Completed Pending for sp Esclation Cust, Confirma	=>	Taken art No.	to Go	SW: 1 SW: 1 SONICE	Canto	3 7 8 08 7 7 8 08 7 2. Seed Det. part Serial	ZVJ 7-6	6 F 2 5 \$ Part Desco	2±2
Action Taken : Call Status Completed Pending for sp Esclation Cust, Confirma	=>	Taken art No.	to Go	SW: 1 SW: 1 SONICE	Spares Union Cust	3 7 8 0 8 7 7 8 0 8 7 2. sed Det. part Serial	ZVJ 7-6	6 F 2 5 \$ Part Desco	2±2
Action Taken : Call Status Completed Pending for sp Esclation Cust, Confirma	=>	Taken art No.	to Go	SW: 1 SW: 1 SONICE	Spares Ut	3 + 8 o 8 7 + 8 o 8 7 sed Det. part Serial i	No. Good	F 2 5 \$ Part Description	2 × 2
Action Taken : Call Status Completed Pending for sp Esclation Cust, Confirma	=>	Taken art No.	to Go	Sw. 1 Sonice	Spares Ut	3 + 8 o 8 7 + 8 o 8 7 sed bet, part Serial omers Feed Back vice Quality nical Knowledge	No.	6 F 2 5 \$ Part Desco	2× 2
Action Taken : Call Status Completed Pending for sp Esclation Cust.Confirma Others	=> => => => => => => => => => => => => =	Taken art No.	Hunt k	Sw. 1 Sonice	Spares Ut No. Cust Ser Tech Upd	3 7 8 0 8 7 7 8 0 8 7 sed Det. part Serial omers Feed Back vice Quality nical Knowledge lation	No.	Part Description	2±2


ATTESTED

PRINCIPAL,

K. S. R. INSTITUTE FOR

K.S.R. Kalvi Nagar, Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India. Tel: +91 - 4288 - 274773 | Fax: +91 - 4288 - 274773 | E-mail: admin@ksriet.ac.in | ENGINEERING AND TECHNOLOGY, K. S. R. KALVI NAGAR.

TIRUCHENGODE-637 215, NAMAKKAL DI, TAMIL NADU





R. Srinivasan B.B.M.,

Chairman cum Managing Trustee

Dr. M. Venkatesan, M.E., Ph.D., Principal

Invoice No. 9


0		Chennal - 600	026. Phone e@aedindia.	arden Street, O : 044 - 423480 com Web site	81, Cell : 8 e : www.ae	2200 edindi	07270, 823	200 07350	Asce 184	
			SERV	ICE CALL F	describerate			/ 19 - 20	-	
Customer Nam	e: ESE	college	9			Type	3		Service T	
Contact Person	1:	. 0			AMC				On Site	4
Address: TF	in che	ngode			Warranty	1			Carry in	
		-			Paid				Call Ca	
Contact No :	9,0004	3/059			PM				Hardware	-
fail (d :					Installati	on			Software	
Call	Login	Call A	Attended	Call co	mpleted		Product	SME	25	
Date	Time	Date	Time	Date	Tin	ne	Make	_		
		18.09.1	9 1120	12.09.10	1 8:	45	Model No.			
Source : UPS	Direct		Direct				Serial No.	_		
							Refere No.			
Earth Details	P-N	230	P-E	230	N-E		ь			
Action Taken		_					777			
Action Taken :-		MPS	(voc	oreing	los	viv	777		replac	red
		MPS	t/oc	orking	Spares U		777			red
Call Status		MIPS Part No.		orking	Spares (Jsed	777	and		
Call Status Completed	3				Spares (Jsed	ฮ	and	replai	
Call Status Completed Pending for sp	3				Spares (Jsed	ฮ	and	replai	
Call Status Completed Pending for sp Esclation	ares 🔲				Spares (Jsed	ฮ	and	replai	
Call Status Completed Pending for sp Esclation Cust Confirmat	ares 🔲				Spares (Jsed	ฮ	and	replai	
Call Status Completed Pending for sp Esclation Cust Confirmat	ares 🔲		G	oodpart Seria	Spares U	Jsed Det. p	ฮ	and	replai	
Call Status Completed Pending for sp Esclation Cust Confirmat	ares 🔲	Part No.	G	oodpart Seria	Spares U	Jised Def. p	art Serial N	and	YEPIQU Part Descri	ption
Call Status Completed Pending for sp Esclation Oust, Confirmat	ares 🔲	Part No.	G	oodpart Seria	Spares Ui No.	Jsed Det. p	oart Serial N	qnol	YEPIQU Part Descri	ption
Call Status Completed Pending for sp Esclation Oust, Confirmat	ares 🔲	Part No.	G	oodpart Seria	Spares UI No.	Jsed Det. p	part Serial N	and lo.	YEPIQU Part Descri	ption
Call Status Completed Pending for sp Esclation Cust Confirmat	gares D	Part No. Service Engin	G meers Sugge	oodpart Seria	Spares Up	Jised Def. p	part Serial N	Good	YEPIQU Part Descri	Poor
Call Status Completed Pending for sp Esclation Cust Confirmat Others	S ares tion tion tion tion tion tion tion tion	Part No. Service Engin	G	oodpart Seria	Spares UI No.	Used Det. p	oart Serial N	Good Good M.	Part Descri	Poor

ATTESTED

PRINCIPAL.

K. S. R. INSTITUTE FOR

TIRUCHENGODE-637 215, NAMAKKAL DE TAMIL NADU





R. Srinivasan B.B.M.,

Chairman cum Managing Trustee

Dr. M. Venkatesan, M.E., Ph.D., Principal

Invoice No. 10

w (25) HO CO): No.64, Kala): No.15, Mas ennai - 600 0	aimagal Sch sthan Ali Ga 26. Phone	Solution nool Road, Eronden Street, Cond4 - 423480 com Web sit	de - ff. S. 81, 0	638 001. P V. Lingam Cell : 82200	h: 0424 - 2 Road, Vada 07270, 82	apalani,	Asce	ent
			SERVI	CE CALL I	REP	ORT C	SR No.AEC) / 19 - 20	18	18
0	e: ESR Co	Ilas	Belondelle		-	Call Type	0		Service	Туре
Contact Person		riege		-	AN	-	1		On Site	Iu
-	irvchenge	Jo			-	manty			Carry in	1
Address: 11	iru chenge	ae_			Pa				-	ategory
Contact No : /	31 101	-			PN				Hardware	10
Mail Id:	7600431	059			-	tallation			Software	1
	Login	Call At	tended	Call co	-		Product	Mode	er boo	احد
Date	1	Date	Time	Date	T	Time	Make	7-00-11	ter but	iro
Date	Time	-		-	-		-	000	DTEI	21793
2 LIDO	Direct	12 09 19	1:20	12.09	9	31 45				
Source : UPS	Direct	-	Direct		-		Refere No.	dipph-	SDIEL	20710
Earth Details	P-N		P-E		-	N-E	rigidio 140	THOOA	BOTEL	311.42
Action Taken :	custo	mer t w		orm		e 14		D M	other	
0-8 04-6					Sp	ares Used				
Call Status Completed	Th Pa	ert No.	I Go	oodpart Seria	-		part Serial N	No.	Part Desc	ription
Pending for ap										
Esciation	H				-					
Cust.Confirma	tion III									
Others	D D		-+							
Others		ervice Engine	Lore Sugges	reion		Customer	s Feed Back	Good	Average	Poor
		arvice Engline	sers augger	SBIOTI	-		Quality	3000	Average	100
							Knowledge		-	
						Updatio			 	
Customer Nan	ne	s.bot	acto	40N		Engineer		M.H	tavi kar	۹ŋ,
Signature With S		51		7		Engineer	s Signature	M.H	-ikuz	. ,
Date		12 0	9/(9			Date		12/0	9/19	

ATTESTED

PRINCIPAL.

K.S.R. Kalvi Nagar, Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India.

K, S. R. INSTITUTE FOR Tel: +91 - 4288 - 274773 | Fax: +91 - 4288 - 274773 | E-mail: admin@ksriet.ac.in | ₩₩**⊌INEERING IA**ND TECHNOLOG* K. S. R. KALVI NAGAR,

TIRUCHENGODE-637 215. NAMAKKAL DI, TAMIL NADU!

(Approved by AICTE, New Delhi & Affiliated to Anna University) UG Programmes (CSE, EEE, ECE, MECH, IT) Accredited by NBA



R. Srinivasan B.B.M.,

Chairman cum Managing Trustee

Dr. M. Venkatesan, M.E., Ph.D., Principal

Invoice No. 11

w (25) 8	O: No.64, Ka O: No.15, Ma hennai - 600	laimagal So asthan Ali G 026. Phone	t Solutions chool Road, Erode sarden Street, Off. a: 044 - 42348081, a.com Web site:	- 638 001. F S.V. Lingam Cell : 82200	Ph: 0424 - 22 Road, Vada 0 07270, 822	palani,	Asce	ent
		Tridai . Sui troi	SERV	ICE CALL RE	PORT C	SR No.AED	/ 19 - 20	48	08
Customer Nam	0. VoO 5	C-T	Bahelask	Construction of the Constr	Call Typ			Service	Туре
Contact Person				A	MC			On Site	~
Address : T		do		V	Varranty			Carry in	
-	- proposition of			P	aid	L	_		ategory
Contact No : C	16004	31059		P	M			Hardware	-
Mail ld :				fr	nstallation			Software	
Call	Login	Call A	Attended	Call comp	pleted	Product	3	103	
Date	Time	Date	Time	Date	Time	Make	دى	2020	_
				25.11.19	10-30	Model No.	-	-	
Source : UPS	Direct		Direct	1		Serial No.			
						Refere No.			
Earth Details	P-N	229	P-E	2.30	N-E	1			
	MPS		, 8	or test	ene	Prova	ය	and	
Call Status	200	-		S	pares Used				
Completed	W .	Part No.	10	Goodpart Serial N	a. Def.	part Serial N	o.	Part Desc	ription
Pending for sp									
Esciation	H	******							
Cust.Confirma	tion			Annual Walnut Control of the Control					
Others						VIII. 2 S.			
		Service Engin	eers Sugg	ession	Customer	rs Feed Back	Good	Average	Poor
					Service	Quality			
					Technica	i Knowledge			
					Updatio	n			
Customer Nam	ne	Stac	trete	you	Enginee	rs Name	3.7	C Por	<u></u>
Signature With S	eal		OF		Enginee	rs Signature	de	Jer.	Į,
Date		25	1119.		Date		25-	11-19	

ATTESTED

K.S.R. Kalvi Nagar, Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India. Tel: +91 - 4288 - 274773 | Fax: +91 - 4288 - 274773 | E-mail: admin@ksriet.ac.in_logNeering-And Technology.

R. INSTITUTE FOR

K. S. R. KALVI NAGAR, TIRUCHENGODE-637 215, NAMAKKAL DI TAMIL MADU

(Approved by AICTE, New Delhi & Affiliated to Anna University)
UG Programmes (CSE, EEE, ECE, MECH, IT) Accredited by NBA



R. Srinivasan B.B.M.,

Chairman cum Managing Trustee

Dr. M. Venkatesan, M.E., Ph.D.,

Invoice No. 12

	25)	10: No.64, Ka 00: No.15, Ma chennai - 600	laimagal So asthan Ali G 026. Phone	t Solutio chool Road, Erc Sarden Street, C e: 044 - 423480 a.com Web sit	ode - 6 off. S.V	38 001. i 7. Lingam ell : 8220	Ph: 0424 - 2 Road, Vada 0 07270, 82	apalani,		
				ICE CALL			SR No.AED	/ 19 - 20	48	31
Customer Nam	10: VCO	150	Description of the last of the		The same of	Call Typ	e		Service	Туре
Contact Person		151			AMC	0			On Site	1
	mucho	mondo			Wan	ranty			Carry in	
	- Inches	reame			Paid	į.	-	^		ategory
Contact No : C	HADOULL	9600	421	059	PM				Hardware	1
Mail Id :					insta	allation			Software	
Call	Login	Call A	Attended	Call co	omplet	ted	Product	6	٥c	
Date	Time	Date	Time	Date		Time	Make	DE	77-	
				16-124	9 1	11.12	Model No.	600	den 3	270
Source : UPS	Direct		Direct				Serial No.	bxo	12.2	
							Refere No.		-	
Earth Details	P.N	230	P-E	232	-	N-E	1			
Problem Diagn	nostics:-	sing 1		, Hone	١ (reik	6	gletr	M	
	nostics:	l eni	3 gue			<i>sei</i> k	6	gletr		
Action Taken :	nostics:	l eni	3 gue	, Hane	~	res Used		gletr	m	
Action Taken :	to o obs	l eni	essue	, Hane	Spar	res Used			Part Descr	ription
Action Taken : \textstyle \textst	nostics:	ed F	essue	anateu	Spar	res Used				ription
Action Taken : \(\sum_{\text{Call Status}} \) Call Status Completed Pending for sp	nostics:	ed F	essue	anateu	Spar	res Used				ription
Action Taken :	nostics:- hook	ed F	essue	anateu	Spar	res Used				ription
Action Taken : \(\frac{1}{N}\) Call Status Completed Pending for sp Esclation	nostics:- hook	ed F	essue	anateu	Spar	res Used				ription
Action Taken :- Call Status Completed Pending for sp Esciation Cust Confirma	hootics:- hoods: hoods: hoods: hoods: hoods: hoods: hootics:- hoods: hoods: hootics:- hoods: hootics:- hoods: hootics:- hoods: hootics:- hoods: hootics:- hootic	ed F	0 CE	Hone Whomo Boodpart Seria	Spar	res Used Def.				ription
Action Taken :- Call Status Completed Pending for sp Esciation Cust Confirma	hootics:- hoods: hoods: hoods: hoods: hoods: hoods: hootics:- hoods: hoods: hootics:- hoods: hootics:- hoods: hootics:- hoods: hootics:- hoods: hootics:- hootic	ed E	0 CE	Hone Whomo Boodpart Seria	Spar	Def.	part Serial N	lo.	Part Desci	
Action Taken :- Call Status Completed Pending for sp Esciation Cust Confirma	hootics:- hoods: hoods: hoods: hoods: hoods: hoods: hootics:- hoods: hoods: hootics:- hoods: hootics:- hoods: hootics:- hoods: hootics:- hoods: hootics:- hootic	ed E	0 CE	Hone Whomo Boodpart Seria	Spar	Def, Customer	part Serial N	lo.	Part Desci	
Action Taken :- Call Status Completed Pending for sp Esclation Cust Confirma	hootics:- hoods: hoods: hoods: hoods: hoods: hoods: hootics:- hoods: hoods: hootics:- hoods: hootics:- hoods: hootics:- hoods: hootics:- hoods: hootics:- hootic	ed E	0 CE	Hone Whomo Boodpart Seria	Spar	Def, Customer	part Serial N rs Feed Back Quality I Knowledge	lo.	Part Desci	
Action Taken :- Call Status Completed Pending for sp Esclation Cust Confirma	nostics:- to o de: no	ed Part No.	O CL	Whomo Boodpart Seria	Spar	Def. Customer Service	part Serial N rs Feed Back Quality I Knowledge	Good	Part Desci	Poor
Action Taken :: Call Status Completed Pending for sp Esclation Cust Confirma Others	nostics:- loode nostics:- lood	ed E	O CL	Whomo Boodpart Seria	Spar	Customer Service Technics Updatio	part Serial N rs Feed Back Quality I Knowledge	Good	Part Descr Average	Poor

ATTESTED


PRINCIPAL.

K. S. R. INSTITUTE FOR ENGINEERING AND TECHNOLOGY, ENGINEERING AND TECHNOLOGY,

TIRUCHENGODE-637 215, NAMAKKAL DI, TAMIL NADU

K.S.R. Kalvi Nagar, Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India.

Tel: +91 - 4288 - 274773 | Fax: +91 - 4288 - 274773 | E-mail: admin@ksriet.ac.in | www.ksrseBak.M.VI NAGAR.





R. Srinivasan B.B.M.,

Chairman cum Managing Trustee

Dr. M. Venkatesan, M.E., Ph.D., Principal

Invoice No. 13

1100	3	HO: No.64, Ka CO: No.15, Mi Chennai - 600 E-mail : service	alaimagal So asthan Ali G 026, Phone	Barden Street, a: 044 - 4234	Erode Off. 8 8081,	- 638 001. F S.V. Lingam Cell : 82200	Ph: 0424 - 2 Road, Vada 0 07270, 82	apafani,		
		-		ICE CALL			SR No.AEC	/19-20	48.	35
Customer Nam	ne: 1- a C	1 154	Balanger		The same of	Call Typ	10		Service	Туре
		Hilano	0		Al	MC			On Site	1
	TO WARRY TO SERVICE STATE OF THE PARTY OF TH	orelige The leaves	Section and the section of the secti		W	arranty			Carry in	
	1 2 2 2 2 2 2 3				Pi	aid		1	Call C	ategory
Contact No : 4	9600	44294	18 4 B	059	P	M			Hardware	~
Mail Id :					ln	stallation			Software	
Call	Login	Call /	Attended	Call	comp	leted	Product	2	NOFF	word a
Date	Time	Date	Time	Date		Time	Make	200	~~ evon	
				16-12.	-19	11.15	Model No.	_		
Source : UPS	Direct		Direct				Serial No.	D435	38976	12001
				T			Refere No.			,
Earth Details	P-N	235	P-E	232		N-E	1			
	MOX	shan k	oceans)	26 i	ne.	٨				
Problem Diagn	MOX	to d	and	199		sen	Ne.			
Action Taken :-	MOX	ja	and	199	> <	Sem	Ne.			
Action Taken :-	MOX	ja	oggic owner	199	Se Se	pares Used	part Serial N	lo.	Part Descr	ription
Action Taken :- Call Status Completed	direc	b	oggic owner	i 99	Se Se	pares Used		0.	Part Descri	ription
Action Taken :- Call Status Completed Pending for sp	direc	b	oggic owner	i 99	Se Se	pares Used		0.	Part Descr	ription
Action Taken :- Call Status Completed Pending for sp Esclation	Mox alcae	b	oggic owner	i 99	Se Se	pares Used		0.	Part Descr	ription
Action Taken :- Call Status Completed Pending for sp Esclation	Mox alcae	b	oggic owner	i 99	Se Se	pares Used		0.	Part Descr	ription
Action Taken :- Call Status Completed Pending for sp Esclation Cust. Confirma	Mox alcae	b	09910	1 39 See di	Se Se	pares Used		lo.	Part Descri	ription
Action Taken :- Call Status Completed Pending for sp Esclation Cust. Confirma	Mox alcae	Part No.	09910	1 39 See di	Se Se	pares Used 5. Def.	part Serial N			
Action Taken :- Call Status Completed Pending for sp Esclation Cust. Confirma	Mox alcae	Part No.	09910	1 39 See di	Se Se	Def. Customer Service	part Serial N			
Action Taken :- Call Status Completed Pending for sp Esclation Cust. Confirma	Mox alcae	Part No.	09910	1 39 See di	Se Se	Def. Customer Service	part Serial N s Feed Back Quality Knowledge			
Action Taken :- Call Status Completed Pending for sp Esclation Cust. Confirma	Mot ares	Part No. Service Engin	odh a	199	Se Se	customer Service	part Serial N s Feed Back Quality I Knowledge	Good	Average	Poor
Action Taken :- Call Status Completed Pending for sp Esclation Cust. Confirma Others	Mot all and all all all all all all all all all al	Part No.	odh a	199	Se Se	Customer Service Technical Updation	part Serial N s Feed Back Quality I Knowledge	Good		Poor

ATTESTED

PRINCIPAL

K.S.R. Kalvi Nagar, Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India. Tel: +91 - 4288 - 274773 | Fax: +91 - 4288 - 274773 | E-mail: admin@ksriet.ac.if | WWW.ksriet.ac.if | WWW.ks

K. S. R. INSTITUTE FOR TIRUCHENGODE-637 215,

NAMAKKAL Dt. TAMIL NADU,

(Approved by AICTE, New Delhi & Affiliated to Anna University) UG Programmes (CSE, EEE, ECE, MECH, IT) Accredited by NBA



R. Srinivasan B.B.M.,

Chairman cum Managing Trustee

Dr. M. Venkatesan, M.E., Ph.D., Principal

Invoice No. 14

		Chennai - 600 E-mail : service	ce@aedindia	.com Web site			3/10 0	Asc	19
Customer Nar	ma: 4:00	12-	SIGINA	ICE CALLER	SHOW MINISTER MANAGEMENT		1119-0		
Contact Perso	Ina . K Shr	IET			Call Ty	pe		Service	Туре
Address : T	- KONET	· Kentown			Warranty	-		On Site	-
	KICKERE	004			Paid		\sim	Carry in	ategory
Contact No :	9 4004	31000			PM	-		Hardware	
Mail Id:	, ,	131026			Installation			Software	
Cal	Login	Call	Attended	Call com		Product	1 64		-
Date	Time	Date	Time	Date	Time	Make		the poc	2
				28-1-20		Model No.	len	1996	-
Source : UPS	Direct		Direct	20-1-20	#- 30	Serial No.	1	D JES!	000
					-	Refere No.	CIM	D IESS	5 A1577
Earth Details	P-N	230	P-E	231	N-E				row.
Action Taken :-	BAM	8/4							
Action Taken :-	BAM			no,	one I	lerece	Scar	ارضا،	
Action Taken :-	BAM			ong		ann)	San	ical.	
Action Taken :- Que Call Status	5 Fern		when	ong	iparea Used				ntina
Action Taken :- Pac Call Status Completed	RAM	boc	when	and s	iparea Used	part Serial No		Part Descri	ption
Action Taken :- Oc Call Status Completed Pending for spining f	RAM	boc	when	and s	iparea Used				ption
Action Taken :- Call Status Completed Pending for spe	RAM	boc	when	and s	iparea Used				ption
Call Status Completed Pending for speciation Cust Confirmal	RAM	boc	when	and s	iparea Used				ption
Call Status Completed Pending for speciation Cust Confirmal	RAM altern	boc	Go	S Sodpart Serial N	Spares Used lo. Def.				ption
Call Status Completed Pending for speciation Cust Confirmal	RAM altern	bs C.	Go	S Sodpart Serial N	Spares Used lo. Def.	part Serial No	o.	Part Descri	
Call Status Completed Pending for speciation Cust. Confirmal	RAM altern	bs C.	Go	S Sodpart Serial N	pares Used to. Def. Customer Service	part Seriai No	o.	Part Descri	
Call Status Completed Pending for speciation Cust Confirmal	RAM altern	bs C.	Go	S Sodpart Serial N	pares Used to. Def. Customer Service	part Serial No s Feed Back Quality Knowledge	o.	Part Descri	
Action Taken :- Call Status Completed Pending for spe sclation Cust Confirmal Others	RAM Ditum ares	Part No. Service Engine	Go	Sodpart Serial N	pares Used lo. Def. Customer Service Technical	part Serial No	Good	Part Descri	Poor
Action Taken: Call Status Completed Pending for spe Scalation Dust Confirmat Others Customer Name	RAM DEIN ares lion	Part No. Service Engine	Go	Sodpart Serial N	Customer Service Updation Engineer	part Serial No	Good	Part Descri	Poor

ATTESTED

K.S.R. Kalvi Nagar, Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India. Tel: +91 - 4288 - 274773 | Fax: +91 - 4288 - 274773 | E-mail: admin@ksriet.ac.in | K.S.R.INSTITUTE FOR ENGINEERING AND TECHNOLOGY,

K. S. R. KALVI NAGAR, TIRUCHENGODE-637 215, NAMAKKAL DI, TAMIL NADU.

(Approved by AICTE, New Delhi & Affiliated to Anna University) UG Programmes (CSE, EEE, ECE, MECH, IT) Accredited by NBA



R. Srinivasan B.B.M.,

Chairman cum Managing Trustee

Dr. M. Venkatesan, M.E., Ph.D., Principal

Invoice No. 15

100	3	HO: No.64, Ki CO: No.15, M Chennai - 600	alaimagal S lasthan Ali G 0 026. Phone ce@aedindia	chool Road, Ero Garden Street, O e: 044 - 4234808 a.com Web site	de - 638 00 ff. S.V. Ling 81, Cell : 82 e : www.aec	1. Ph: 0424 - 1 am Road, Vad 2200 07270, 82 dindia.com	lapalani, 2200 0735	1656	
			SERV	TICE CALL R	EPORT	CSR No.AEI	D / 19 - 20	, 1000	,
Customer Nan	ne: KQO	159	-	Control of the Control	Call	Type		Service	Туре
		Hikapa		-	AMC		-	On Site	1
Address : TA	vic/ve	rando			Warranty			Carry in	
	- Davidson Sales		-		Paid		~	Call C	ategory
Contact No : C	Boos	241059		***************************************	PM			Hardware	1
Mail Id :	1000				Installation	n		Software	
Call	Login	Call	Attended	Call co	mpleted	Product	May	perpa	nd
Date	Time	Date	Time	Date	Time	Make		000	
	1		1	4.0021				A STATE OF THE PARTY OF THE PAR	-
Source : UPS	Direct		Direct	11100	11100	Serial No.	m. 35	TESER	24 2=
	-			1	1	Refere No	-	H	The same of the sa
Earth Details	P-N	230	P-E	931	N-E	1	1		
Problem Diagr	PA	M 8/0F		pyen					
Action Taken :	Phostics:		Pro						
Action Taken :	Phostics:	m 8/0k	Pro		Spares Us	ed			
Action Taken :	Phostics:	m 8/0k	Pro			ed ef. part Serial I	No.	Part Desci	ription
Action Taken : Call Status Completed	nostics:	P 09)	Pro	Pycen			No.	Part Descr	ription
Action Taken : Call Status Completed Pending for sp	nostics:	P 09)	Pro	Pycen			No.	Part Desc	ription
Action Taken :	Pares	P 09)	Pro	Pycen			No.	Part Descr	ription
Action Taken : Cail Status Completed Pending for sp Esclation	Pares	P 09)	Pro	Pycen			No.	Part Desc	ription
Action Taken : Call Status Completed Pending for sp Esclation Cust Confirma	Pares	P 09)	Pro	Soodpart Serial	No. D		No.	Part Desco	ription
Action Taken : Call Status Completed Pending for sp Esclation Cust Confirma	Pares	M 3/0E B 03/	Pro	Soodpart Serial	No. D	ef. part Serial I			
Action Taken : Call Status Completed Pending for sp Esclation Cust Confirma	Pares	M 3/0E B 03/	Pro	Soodpart Serial	No. D	ef. part Serial I			
Action Taken : Call Status Completed Pending for sp Esclation Cust Confirma	Pares	M 3/0E B 03/	Pro	Soodpart Serial	No. D	ef. part Serial I			
Action Taken : Call Status Completed Pending for sp Esclation Cust Confirma	Pares I	M Slok Part No. Service Engin	Process Sugge	Soodpart Serial	Custo Serv Techr Upda	ef. part Serial I	Good	Average	Poor
Action Taken : Call Status Completed Pending for sp Esclation Cust Confirma Others	Pares Date of the Control of the Con	M 3/0E B 03/	Process Sugge	Soodpart Serial	Custo Serv Techn Upds	ef. part Serial II wers Feed Back ice Quality incal Knowledge stion	Good		Poor

ATTESTED

K.S.R. Kalvi Nagar, Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India. Tel: +91 - 4288 - 274773 | Fax: +91 - 4288 - 274773 | E-mail: admin@ksriet.ac.ip.nc///ERING AND TECHNOLOGY,

K. S. R. KALVI NAGAR, TIRUCHENGODE-637 215, NAMAKKAL DI, TAMIL NADU

(Approved by AICTE, New Delhi & Affiliated to Anna University) UG Programmes (CSE, EEE, ECE, MECH, IT) Accredited by NBA



R. Srinivasan B.B.M.,

Chairman cum Managing Trustee

Dr. M. Venkatesan, M.E., Ph.D., Principal

Invoice No. 16

(Original) Dated Invoice No. ARROW SYSTEMS
No.21/22,1ST FLOOR, VINAYAKA NAGAR 07.07.2021 095 MAIN ROAD, NEAR KARLE GARMENTS NAGASANDRA(P), BANGLORE-560073 GSTIN/UIN:29AIKPG3206E1ZK State Name: Karnataka, Code: 29 E-mail: arrowsystemsindia@gmail.com The Principal
KSR Institute For Engineering and Technology KSR Kalvi Nagar Tiruchengode Namakkal District Tamilnadu - 637215 Rate Per Quantity Description of Goods SLNO 9.000.00 30 Mouse Logiteck 1. 7,000.00 700 Nos. 10 SMPS 9,00.00 Nos. 900 Laptop Adaptor 2,000.00 Nos. 400 5 USB Keyboard 18,900.00 46 Nos Total Amount Chargeable (In words)
INR Eighteen Thousand and Nine Hundred

For ARROW SYSTEMS

CHECKED BY TIME IFFICE


ATTESTED

PRINCIPAL, K. S. R. INSTITUTE FOR

K. S. R. KALVI NAGAR, TIRUCHENGODE-637 215, NAMAKKAL DI, TAMIL NADIL

K.S.R. Kalvi Nagar, Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India.

Tel: +91 - 4288 - 274773 | Fax: +91 - 4288 - 274773 | E-mail: admin@ksriet.ac.in | www.ksrieting and Technology.





R. Srinivasan B.B.M.,

Chairman cum Managing Trustee

Dr. M. Venkatesan, M.E., Ph.D., Principal

Sample copy of Chairman Approval Form

K S R INSTITUTE FOR ENGINEERING AND TECHNOLOGY TIRUCHENGODE - 637 215

CHAIRMAN APPROVAL FORM

Date: 15.04.2021

NAME OF THE CO- ORDINATOR	Mr. S. Karthikeyan
DESIGNATION / DEPARTMENT / INSTITUTION	System Administrator
SUBJECT	Purchase of System Lab requirements
DETAILS	We have purchase of Computer lab requirements (Mouse, SMPS, Laptop Adapter, BIOS Battery). Kindly give permission to proceed the same.
SIGNATURE OF THE CO- ORDINATOR	STE TO TO THE PERSON OF THE PE
SIGNATURE OF THE PRINCIPAL	M. W. 15/04/21
SIGNATURE OF THE CHAIRMAN	

ATTESTED

PRINCIPAL.

K.S.R. Kalvi Nagar, Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India. Tel: +91 - 4288 - 274773 | Fax: +91 - 4288 - 274773 | E-mail: admin@ksriet.ac.in | ENGINEERING AND TECHNOLOGY

K. S. R. INSTITUTE FOR TIRUCHENGODE-637 215.

NAMAKKAL DI, TAMIL MILL

(Approved by AICTE, New Delhi & Affiliated to Anna University) UG Programmes (CSE, EEE, ECE, MECH, IT) Accredited by NBA



R. Srinivasan B.B.M.,

Chairman cum Managing Trustee

Dr. M. Venkatesan, M.E., Ph.D., Principal

Sample copy of Comparison Statement

K S R INSTITUTE FOR ENGINEERING AND TECHNOLOGY COMPARISON STATEMENT FOR LAB REQUIREMENTS

s.no.	PRODUCT	QTY	ARROW SYSTEMS	SAI COMPUTERS	ARROW SYSTEMS	SAI COMPUTERS
			R	ATE	T	OTAL
1	Hard Disk 500 GB	23	1150	1650	26450	37950
2	Mouse Logiteck	30	300	300	9000	9000
3	SMPS	10	600	650	6000	6500
4	BIOS Battery	100	20	20	2000	2000
5	Laptop Adaptor	2	950	1050	1900	2100
6	Keyboard	5	400	450	2000	2250
		TOTA	L		47350	59800

S.NO.	PRODUCT	QTY	ARROW SYSTEMS	SAI COMPUTERS	ARROW SYSTEMS	SAI COMPUTERS
		2	R	ATE	т	OTAL
1	Mouse Logiteck	30	300	300	9000	9000
2	SMPS	10	600	650	6000	6500
3	BIOS Battery	100	20	20	2000	2000
4	Laptop Adaptor	2	950	1050	1900	2100
	*	TOTA	L		18900	19600

		TOTA	r		28450	40200
2	Keyboard	5	400	450	2000	2250
i	Hard Disk 500 GB	23	1150	1650	26450	37950


ATTESTED

K.S.R. Kalvi Nagar, Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India.

PRINCIPAL,

K. S. R. INSTITUTE FOR Tel: +91 - 4288 - 274773 | Fax: +91 - 4288 - 274773 | E-mail: admin@ksriet.aen@in@emin@ien@cTECHNOLOGY, K. S. R. KALVI NAGAR. TIRUCHENGODE-637 215.

NAMAKKAL DI, TAMIL NADU





R. Srinivasan B.B.M.,

Chairman cum Managing Trustee

Dr. M. Venkatesan, M.E., Ph.D.,

Sample copy of Voucher

		NGODE - 637 215.	KSRIET
	CASH /	CHEQUE PAYMENT VOUCHE	
Vr. No.			Date 2.5. 11 . 20.1
Debit			
Payto Pharmo	vai CASCENT E	as	um of Rs2, 655
Runees Two.	Thousand ST	x Hundred and Fifty	Fire only
Trapedo	CORP OF STREET, WAS ASSESSED.	V .	1 1
towards 7 thm			
towards 3 Nun		Seedice English	
	therboard		
towards 3 Mp			
	therboard		by Cash/Cheque/D
	therboard		by Cash/Cheque/D
	therboard		by Cash/Cheque/D

ATTESTED

PRINCIPAL

K.S.R. Kalvi Nagar, Tiruchengode - 637 215, Namakkal Dist., Tamil Nadu, India.

ENGINEERING AND TECHNO
Tel: +91 - 4288 - 274773 | Fax: +91 - 4288 - 274773 | E-mail: admin@ksriet.ac.in | www.ksriet.ac.in | www.ksriet.ac.in

K. S. R. INSTITUTE FOR
ENGINEERING AND TECHNOLOGY,
WWY, STIRTMALM NAGAR.
TIRUCHENGODE-637 215.

NAMAKKAL DI, TAMIL NADU,